




## SNEC DIN OTEL NORMAL FE 360 – GROSIME DE LA 6 LA 10mm SERIE HEAVY

### Sectiune Spirala



Dimensiune (mm)			Greutate KG/M	Grosime (mm)	
ØA	B	ØC		D	D1
80	80	22	1.9	3	3
100	100	22	2.4	2.7	2.7
100	100	34	2.4	2.8	2.8
120	120	34	2.4	2.6	2.6
130	130	27	4.2	2.5	2.5
130	130	34	2.9	2.7	2.7
130	130	42	3.0	2.8	2.8
140	140	34	4.0	2.7	2.7
140	140	42	3.7	2.8	2.8
150	150	48	3.3	2.8	2.8
150	90	48	4.6	2	2
150	150	48	5.6	4	4
150	150	48	7.0	5	5
160	160	48	3.6	2.6	2.6
180	180	48	4.7	2.4	2.4
180	120	48	5.5	2	2
180	180	48	6.2	4	4
180	180	48	7.8	5	5
200	200	48	4.8	2.2	2.2
200	200	48	7.3	3.9	3.9
200	200	48	8.6	4.9	4.9
200	200	60	5.3	2.5	2.5
200	200	60	6.6	4	4
200	200	60	9.0	5	5
220	220	48	5.3	2.2	2.2
230	230	60	8.1	3.6	3.6
250	250	60	6.6	2.6	2.6
250	250	60	8.8	3.8	3.8
250	250	60	10.4	4.8	4.8
280	280	70	10.3	3.7	3.7
280	280	70	13.3	4.7	4.7



Dimensiune (mm)			Greutate	Grosime (mm)	
ØA	B	ØC	KG/M	D	D1
300	300	70	7.0	2.4	2.4
300	250	70	8.0	2.2	2.2
300	200	70	9.8	2	2
300	300	70	10.2	8	3.8
300	200	70	13.5	8	3.5
300	300	70	12.8	10	4.8
300	300	76	7.5	6	2.5
300	250	76	7.8	6	2.4
300	200	76	10.0	6	2
300	300	76	11.2	8	3.9
300	300	90	7.4	6	2.5
300	250	90	9.0	6	2.4
300	200	90	10.4	6	2.1
300	300	90	10.6	8	4
300	300	90	12.3	10	5



### TOLERANTE GENERALE

INDEX	Tolerantele dimensiunilor (mm)	Tolerantele diametrului exterior	Tolerante ale pasului	Tolerantele diametrului interior
		50mm – 100mm	± 2mm	± 3mm
	100mm – 150mm	± 2mm	± 3mm	+ 2/ - 0
	150mm – 250mm	± 2mm	± 5mm	+ 2/ - 0
	250mm – 350mm	± 3mm	± 5mm	+ 3/ - 0
	350mm – 600mm	± 5mm	± 20mm	+ 5/ - 0